

Publications in Journals with reviewing system

Hemmerich, P., S. Weidtkamp-Peters, C. Hoischen, L. Schmiedeberg, I. Erliandri, and S. Diekmann. 2008. Dynamics of inner kinetochore assembly and maintenance in living cells. *J. Cell Biol.* in press

Derome, A., C. Hoischen, M. Bussiek, R. Grady, M. Adamczyk, B. Kedzierska, S. Diekmann, D. Barillà, and F. Hayes. 2008. Centromere anatomy in the multidrug resistant pathogen *Enterococcus faecium*. *Proc. Natl. Acad. Sci. USA.* 105:2151-2156.

Orthaus, S., C. Biskup, B. Hoffmann, C. Hoischen, S. Ohndorf, K. Benndorf, and S. Diekmann. 2008. Assembly of the Inner Kinetochore Proteins Cenp-A and Cenp-B in Living Human Cells. *ChemBioChem.* 9:77-92.

Hoischen, C., M. Bussiek, J. Langowski, and S. Diekmann. 2008. *E. coli* low-copy-number plasmid R1 centromere *parC* forms a U-shaped complex with its kinetochore binding protein ParR. *Nucl. Acids Res.* 36:607-615

Siddiqui, R. A., C. Hoischen, O. Holst, I. Heinze, B. Schlott, J. Gumpert, S. Diekmann, F. Grosse, and M. Platzer. 2006. The analysis of cell division and cell wall synthesis genes reveals mutationally inactivated *ftsQ* and *mraY* in a protoplast-type L-form of *Escherichia coli*. *FEMS Microbiol. Lett.* 258:305-311.

Hoischen, C., A. Bolshoy, K. Gerdes, and S. Diekmann. 2004. Centromere *parC* of plasmid R1 is curved. *Nucl. Acids Res.* 32:5907-5911

Toshkova, R., E. Ivanova, S. Toshkov, and C. Hoischen. 2003. Inhibition of tumor development by cytoplasmic membranes of *Proteus mirabilis* stable L-form. *Experimental Oncology* 25:124-127.

Dathe, M., J. Mayer, M. Beyermann, B. Maul, C. Hoischen, and M. Bienert. 2002. General aspects of peptide selectivity towards lipid bilayers and cell membranes studied by variation of the structural parameters of amphipathic helical model peptides. *Biochim. Biophys. Acta.* 1558: 171 – 186.

Nampoothiri, M., C. Hoischen, B. Bathe, B. Möckel, W. Pfefferle, K. Krumbach, H. Sahm, and L. Eggeling. 2002. Expression of lipid-genes and altered lipid composition modulates L-glutamate efflux of *Corynebacterium glutamicum*. *Appl. Microbiol. Biotechnol.* 58:89 – 96.

Hoischen, C., C. Fritsche, J. Gumpert, M. Westermann, K. Gura, and B. Fahnert. 2002. A novel bacterial membrane surface display system using cell wall-less L-forms of *Proteus mirabilis* and *Escherichia coli*. *Appl. Environ. Microbiol.* **68**: 525 - 531.

Serkina, A. V., A. M. Bushueva, G. G. Chestukhina, J. Gumpert, C. Hoischen, M. Kujau, and A. B. Shevelev. 2001. Precursor of glutamylendopeptidase from *B. licheniformis* is not able to autoactivation. *Vopr. Med. Khim.* 47:111-122

Novikova, S. I., A. M. Bushueva, L. A. Trachuk, G. E. Konstantinova, A. V. Serkina, C. Hoischen, J. Gumpert, G. G. Chestukhina, A. Mankin, and A. B. Shevelev. 2000. Introduction of a mini-gene encoding a five-amino acid peptide confers erythromycin resistance to *Bacillus subtilis* and provides temporary erythromycin protection in *Proteus mirabilis*. *FEMS Microbiol. Letters.* 182:213-218.

- Bushueva, A. M., A. B. Shevelev, J. Gumpert, G. G. Chestukhina, A. V. Serkina, C. Hoischen, M. V. Matz, M. V. Kuryatova, and V. M. Stepanov. 1998. Expression of the carboxypeptidase T gene from *Thermoactinomyces vulgaris* in stable cell wall-less L-forms of *Proteus mirabilis*. FEMS Microbiology Letters. 159:145-150.
- Kujau, M. J., C. Hoischen, D. Riesenberger, and J. Gumpert. 1998. Expression and secretion of functional miniantibodies McPC603scFvDhlx in cell wall-less L-form strains of *Proteus mirabilis* and *Escherichia coli*. Appl. Microbiol. Biotechnol. 45:51-58.
- Meyer, H. W., M. Westermann, W. Richter, M. Stumpf, A. S. Ulrich, and C. Hoischen. 1998. Minimal radius of curvature of lipid bilayers in the liquid-ordered (lo) phase state corresponds to the dimension of biomem-brane structures „caveolae". J. Structural Biol. 124:77-88.
- Rippmann, J. F., M. Klein, C. Hoischen, B. Brocks, W. J. Rettig, J. Gumpert, K. Pfizenmaier, R. Mattes, and D. Moosmayer. 1998. Expression and secretion of recombinant scFv antibodies in L-form cells lead to active product and overcomes the limitations of periplasmic expression in *E. coli*. Appl. Environm. Microbiol. 64:4862-4869.
- Reizer, J., C. Hoischen, F. Titgemeyer, R. Rabus, J. Stülke, C. Rivolta, D. Karamata, M. H. Saier, jr., and W. Hillen. 1998. A novel protein kinase that controls carbon catabolite repression in bacteria. Mol. Microbiol. 27:1157-1169
- Hoischen, C., K. Gura, C. Luge, and J. Gumpert. 1997. Lipid and fatty acid composition of cytoplasmic membranes from *Streptomyces hygroscopicus* and its stable protoplast-type L-form. J. Bacteriol. 179:3430-3436.
- Hoischen, C., W. Ihn, K. Gura, and J. Gumpert. 1997. Structural characterization of molecular phospholipid species in cytoplasmic membranes of the cell wall-less *Streptomyces hygroscopicus* L-form by electrospray ionization coupled with collision induced dissociation mass spectrometry. J. Bacteriol. 179:3437-3442.
- Hoischen, C., J. Levin, S. Pitaknarongphorn, J. Reizer, and M. H. Saier, jr. 1996. Involvement of the central loop of the lactose permease of *Escherichia coli* in its allosteric regulation by the glucose specific Enzyme IIA of the phosphoenolpyruvate-dependent Phosphotransferase System. J. Bacteriol. 178:6082-6086.
- Gumpert, J., H. Cron, R. Plapp, H. Niersbach, and C. Hoischen. 1996. Synthesis and secretion of recombinant penicillin G acylase in bacterial L-forms. J. Basic Microbiol. 36: 89-98.
- Mitchell, W. J., J. Reizer, C. Herring, C. Hoischen, and M. H. Saier, jr. 1993. Identification of a PEP-Fructose Phosphotransferase System (Fructose-1-P Forming) in *Listeria monocytogenes*. J. Bacteriol. 175:2758-2761
- Reizer, J., C. Hoischen, A. Reizer, T. N. Pham, and M. H. Saier, Jr. 1993. Sequence analyses and evolutionary relationships among the energy coupling proteins, Enzyme I and HPr of the bacterial phosphoenolpyruvate:sugar phosphotransferase system. Protein Science. V2 N4:506-521.
- Hoischen, C., J. Reizer, S. Rottem, A. Dijkstra, and M. H. Saier, jr. 1993. Presence of protein constituents of the gram-positive bacterial phosphotransferase regulatory system in *Acholeplasma laidlawei*. J. Bacteriol. 175: 6599-6004.

Gutman, M., C. Hoischen, and R. Krämer. 1992. Carrier-mediated glutamate secretion by *Corynebacterium glutamicum* under biotin limitation. *Biochim. Biophys. Acta.* 1112:115-123.

Krämer, R., C. Lambert, C. Hoischen, and H. Ebbighausen. 1990. Uptake of glutamate in *Corynebacterium glutamicum*. I. Kinetic properties and regulation by internal pH and potassium. *Eur. J. Biochem.* 194:929-935.

Hoischen, C., and R. Krämer. 1990. Membrane alteration is a necessary but not sufficient prerequisite for effective glutamate secretion in *Corynebacterium glutamicum*. *J. Bacteriol.* 171:3409-3416.

Hoischen, C., and R. Krämer. 1989. Evidence for an efflux carrier system involved in the secretion of glutamate in *Corynebacterium glutamicum*. *Arch. Microbiol.* 151:342-347.

Reviews – book articles:

Gumpert, J., C. Hoischen, and M. Kujau. Protein expression in L-form bacteria. 2002. In: Lu, Q., and M. Weiner (Edts.). *Gene Cloning and expression technologies*. BioTechnique books, Eaton Publishing Company. 213 - 226.

Gumpert, J., and C. Hoischen. 1998. Use of cell wall-less bacteria for efficient expression and secretion of heterologous gene products. Review. *Curr. Opin. Biotechnol.* 9:506-509.

Krämer, R., and C. Hoischen. 1995. Futile cycling caused by the simultaneous presence of separate transport Systems for uptake and secretion of amino acids in *Corynebacterium glutamicum*. P. 19-26. In: *Biothermokinetics* (Westerhoff, V.H., Ed.) Intercept Publishers, Andover, UK.

Saier, M. H., jr., M. J. Fagan, C. Hoischen and J. Reizer. 1993. Transport mechanisms. P. 133-156. In A.L. Sonnenschein, J. A. Hoch and R. Losick (eds.). *Bacillus subtilis*, the model gram-positive bacterium: physiology, biochemistry and molecular genetics. Amer Soc. Microbiol., Washington, D. C.

Krämer, R., H. Ebbighausen and C. Hoischen. 1988. Transport of amino acids in *Corynebacterium glutamicum*. P. 33-42. In Quagliariello, E. and F. Palmieri (eds.). *Molecular basis of biomembrane transport*. Eisevier, Amsterdam.